

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| S1 | 485 | ((Nakai near2 Shinichi) or (Noguchi near2 Naohiko) or (Matsui near2 Shinichi) or (Nanba near2 Takaaki) or (Inoue near2 Ryuji)).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 13:23 |
| S2 | 2 | ((Nakai near2 Shinichi) or (Noguchi near2 Naohiko) or (Matsui near2 Shinichi) or (Nanba near2 Takaaki) or (Inoue near2 Ryuji)).in. (storag\$4 content (identifier or id) encrypt\$4). clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 13:24 |
| S3 | 995 | 713/193.ccls. @ad<"20020329" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 13:29 |
| S4 | 11 | 713/193.ccls. @ad<"20020329" (storage near (section or portion or area or partition or block) with (id or identifier or unique))((encrypt\$4 or secur\$4) near5 (section or portion or area or partition or block) with (content or data or information)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 13:34 |
| S5 | 13 | "2001039620".pn. or "6170060".pn. or "20020031352".pn. or "2002002413".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 14:35 |
| S6 | 44 | "713"/\$.ccls. @ad<"20020329" (storage near (section or portion or area or partition or block) with (id or identifier or unique))((encrypt\$4 or secur\$4) near5 (section or portion or area or partition or block) with (content or data or program)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 14:54 |
| S7 | 136 | "713"/\$.ccls. @ad<"20020329" (((id or identifier or unique or (serial adj number) near6 (device or apparatus or station or machine)) with (id or identifier or unique or name) near6 (content or program or package or music or game or video)) with stor\$4 with (encrypt\$4 near5 (id or identifier or unique or content or program))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 14:59 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S8 | 11 | "713"/193.ccls. @ad<"20020329" (storage near (section or portion or area or partition or block) with (id or identifier or unique))((encrypt\$4 or secur\$4) near5 (section or portion or area or partition or block) with (content or data or program)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 15:01 |
| S9 | 9 | "713"/\$.ccls. @ad<"20020329" (storage near3 (area or section or portion or partition) with ((identifier or id or unique) with (program or content))) (encrypt\$4 with (content or program or movie or music or video) with (identifier or id or unique) with (device or apparatus)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 15:17 |
| S10 | 22 | (storage near3 (area or section or portion or partition) with ((identifier or id or unique) with (program or content))) (encrypt\$4 with (content or program or movie or music or video) with (identifier or id or unique) with (device or apparatus)) @ad<"20020329" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 15:29 |
| S11 | 32 | (storage near3 (area or section or portion or partition) with ((identif\$7 or id or unique) with (program or content))) (encrypt\$4 with (content or program or movie or music or video) with (identif\$7 or id or unique) with (device or apparatus)) @ad<"20020329" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 15:31 |
| S12 | 19 | S10 not S8 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 15:32 |
| S13 | 10 | S11 not S10 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 15:48 |
| S14 | 209 | (stor\$5 near3 (area or section or portion or partition))(identifier or id or unique) with (device or apparatus) ((identifier or id or unique) with (program or content or media) with encrypt\$4 with (device or apparatus)) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 15:54 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S15 | 188 | (stor\$5 near3 (area or section or portion or partition))(identifier or id or unique) with (device or apparatus) ((identifier or id or unique) with (program or content or media) with encrypt\$4 with (device or apparatus)) (encrypt\$4 near3 (content or id or identif\$7 or unique)) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 15:55 |
| S16 | 59 | (stor\$5 near3 (area or section or portion or partition))(identifier or id or unique) with (device or apparatus) ((identifier or id or unique) with (program or content or media) with encrypt\$4 with (device or apparatus)) (encrypt\$4 near3 (content or id or identif\$7 or unique))(authenticat\$4 with access\$4)(@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 15:56 |
| S17 | 71 | (stor\$4 near5 (area or section or portion or partition or part) with (identif\$7 or id or unique or (serial adj number)) near5 (device or apparatus or host or station))(encrypt \$4 near5 (program or content or music or game or video) with (id or identif\$7 or unique)) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 16:53 |
| S18 | 58 | S17 not S16 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 16:57 |
| S19 | 42 | (stor\$4 near5 (area or section or portion or partition or part) with (identif\$7 or id or unique or (serial adj number)) near5 (device or apparatus or terminal or host or station))(encrypt\$4 near5 (program or content or music or game or video) with (id or identif\$7 or unique) with (apparatus or terminal or device or host or station))(@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/19 17:02 |
| S20 | 51 | ((stor\$4 or dis\$2 or drive) near5 (area or section or portion or partition or part) with (identif\$7 or id or unique or (serial adj number)) near5 (device or apparatus or terminal or host or station))(encrypt\$4 near5 (program or content or music or game or video) with (id or identif\$7 or unique) with (apparatus or terminal or device or host or station))(@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/20 09:24 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S21 | 215 | ((stor\$4 or dis\$2 or drive) near5 (area or section or portion or partition or part)) ((identif\$7 or id or unique or (serial adj number)) near5 (device or apparatus or terminal or host or station)) (encrypt\$4 near5 (program or content or music or game or video) with (id or identif\$7 or unique) with (apparatus or terminal or device or host or station)) ((secur\$4 or encrypt \$4 or private) with (area or section or portion or partition or part)) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/20 09:28 |
| S22 | 166 | S21 not S20 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/20 09:32 |
| S23 | 184 | ((id or identifi\$7 or unique) near3 (device or terminal or apparatus or phone or process\$4))(encrypt\$4 near3 (content or program or music or video or game or movie or software or package) with ((using or used) with (id or identifi\$7 or unique))) (stor\$4 near4 (id or identifi \$7 or unique) with (device or terminal or apparatus or phone)) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/20 11:43 |
| S24 | 143 | S23 not S22 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/20 11:45 |
| S25 | 88 | ((id or identifi\$7 or unique) near3 (device or terminal or apparatus or phone or process\$4))(encrypt\$4 near3 (content or program or music or video or game or movie or software or package) with ((using or used) with (id or identifi\$7 or unique) near5 (device or terminal or apparatus or phone))) (stor\$4 near4 (id or identifi\$7 or unique) with (device or terminal or apparatus or phone)) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/20 11:47 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S26 | 103 | ((id or identi\$7 or unique) near3 (device or terminal or apparatus or phone or process\$4))(encrypt\$4 near3 (content or program or music or video or game or movie or software or package) with ((using or used) with (id or identi\$7 or unique) near5 (device or terminal or apparatus or phone)))((stor\$4 or memory or dis\$2 or drive) near4 (id or identi\$7 or unique) with (device or terminal or apparatus or phone)) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/20 11:48 |
| S27 | 32 | ((id or identi\$7 or unique) near3 (device or terminal or apparatus or phone or process\$4))(encrypt\$4 near3 (content or program or music or video or game or movie or software or package) with ((using or used) with (id or identi\$7 or unique) near5 (device or terminal or apparatus or phone)))((stor\$4 or memory or dis\$2 or drive) near4 (id or identi\$7 or unique) with (device or terminal or apparatus or phone)) (identification near data) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/20 11:49 |
| S28 | 6 | ((id or identi\$7 or unique) near3 (device or terminal or apparatus or phone or process\$4))(encrypt\$4 near3 (content or program or music or video or game or movie or software or package) with ((using or used) with (id or identi\$7 or unique) near3 (device or terminal or apparatus or phone)))((stor\$4 or memory or dis\$2 or drive) near4 (id or identi\$7 or unique) with (device or terminal or apparatus or phone)) (identification near data)((id or identifier or unique) near (device or terminal or apparatus or phone or host))(@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/20 11:53 |
| S29 | 5 | "2002002413".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/20 12:54 |
| S31 | 603 | tokue.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/20 12:55 |

| | | | | | | |
|-----|------|---|---|-----|----|---------------------|
| S36 | 4 | tokue.in. encrypt\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/20 12:56 |
| S37 | 2 | "20010039620".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/20 12:58 |
| S38 | 2053 | ((id or identifi\$7 or unique or name) near3 (device or phone or apparatus or terminal or portable))(encrypt\$4 near5 (content or data or program or music or video or game or movie) with (id or identifi\$7 or unique)) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/20 13:41 |
| S39 | 546 | ((id or identifi\$7 or unique or name) near3 (device or phone or apparatus or terminal or portable))(encrypt\$4 near5 (content or data or program or music or video or game or movie) with (id or identifi\$7 or unique)) (identification near data) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/20 13:44 |
| S40 | 75 | ((id or identifi\$7 or unique or name) near3 (device or phone or apparatus or terminal or portable))(encrypt\$4 near5 (content or data or program or music or video or game or movie) with (id or identifi\$7 or unique)) (identification near data)(encrypt\$4 with using with (id or identifier or unique or name) with (device or apparatus or terminal or portable)) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/20 13:45 |
| S41 | 151 | ((id or identifi\$7 or unique or name) near5 (device or phone or apparatus or terminal or portable or handheld or cellular))(encrypt\$4 near5 (content or data or program or music or video or game or movie) with (id or identifi\$7 or unique)) (title near3 content) ((decode\$4 or decrypt\$4) with (id or identifi\$7))(@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/23 15:09 |
| S42 | 81 | ("726"/\$.ccls. or "713"/\$.ccls.)((id or identifi\$7 or unique or name) near5 (device or phone or apparatus or terminal or portable or handheld or cellular))(encrypt\$4 near5 (content or data or program or music or video or game or movie) with (id or identifi\$7 or unique)) (title near3 content) ((decode\$4 or decrypt\$4) with (id or identifi\$7))(@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/23 15:10 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S43 | 10 | ("726"/\$.ccls. or "713"/\$.ccls.)((id or identifi\$7 or unique or name) near5 (device or phone or apparatus or terminal or portable or handheld or cellular))(encrypt\$4 near5 (content or data or program or music or video or game or movie) with (id or identifi\$7 or unique)) (title near3 content) ((decode\$4 or decrypt\$4) with (id or identifi\$7))((encrypt\$4 or encod\$4) near5 (content or information or (identification adj data)) with using with ((id or identifi\$7) near3 (device or apparatus)))(@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/23 16:33 |
| S44 | 852 | ((id or identifi\$7 or unique or name or (serial adj number) or (phone adj number) or (key)) near3 (device or phone or apparatus or terminal or portable or PDA or station) with (encrypt\$4 or encod\$4) near5 (content or data or information or program or music or game or video)) ((encrypt\$4 or encod\$4) near5 (content or data or information) near5 using near5 (id or identifi\$7 or unique or name or (serial adj number) or (phone adj number) or (key)) near3 (device or phone or apparatus or terminal or portable or PDA or station)) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/24 13:25 |
| S45 | 392 | ("726"/\$.ccls. or "713"/\$.ccls. or "700"/\$.ccls.)((id or identifi\$7 or unique or name or (serial adj number) or (phone adj number) or (key)) near3 (device or phone or apparatus or terminal or portable or PDA or station) with (encrypt\$4 or encod\$4) near5 (content or data or information or program or music or game or video)) ((encrypt\$4 or encod\$4) near5 (content or data or information) near5 using near5 (id or identifi\$7 or unique or name or (serial adj number) or (phone adj number) or (key)) near3 (device or phone or apparatus or terminal or portable or PDA or station)) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/24 13:28 |

| | | | | | | |
|-----|----|---|---|-----|----|---------------------|
| S46 | 37 | ("726"/\$.cls. or "713"/\$.cls. or "700"/\$.cls.)((id or identifi\$7 or unique or name or (serial adj number) or (phone adj number) or (key)) near3 (device or phone or apparatus or terminal or portable or PDA or station) with (encrypt\$4 or encod\$4) near5 (content or data or information or program or music or game or video)) ((encrypt\$4 or encod\$4) near5 (content or data or information) near5 using near5 (id or identifi\$7 or unique or name or (serial adj number) or (phone adj number) or (key)) near3 (device or phone or apparatus or terminal or portable or PDA or station)) (title near5 content) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/24 13:29 |
| S47 | 39 | ((id or identifi\$7 or unique or name or (serial adj number) or (phone adj number) or (key)) near3 (device or phone or apparatus or terminal or portable or PDA or station) with (encrypt\$4 or encod\$4) near5 (content or data or information or program or music or game or video)) ((encrypt\$4 or encod\$4) near5 (content or data or information) near5 using near5 (id or identifi\$7 or unique or name or (serial adj number) or (phone adj number) or (key)) near3 (device or phone or apparatus or terminal or portable or PDA or station)) (authenticat\$4 with access\$4 with (area or portion or partition or section)) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/24 14:10 |
| S48 | 36 | S47 not S46 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/24 14:11 |
| S49 | 68 | ((encrypt\$4 or encod\$4) near5 (content (data or information or title or key or right)) with (id or unique or name or ((serial or phone) adj number) or public or private) near8 (device or apparatus or termial or station or phone or handheld or portable or PC)) (authenticat\$4 with access\$) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/24 15:03 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S50 | 234 | ((encrypt\$4 or encod\$4) near5 (content AND (license or identification or information or title or key or right or program)) with (id or unique or name or ((serial or phone) adj number) or public or private) near8 (device or apparatus or termial or station or phone or handheld or portable or PC)) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/24 15:15 |
| S51 | 206 | ((encrypt\$4 or encod\$4) near5 (content AND (license or identification or information or title or key or right or program)) with (id or unique or name or ((serial or phone) adj number) or public or private) near5 (device or apparatus or termial or station or phone or handheld or portable or PC)) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/24 15:16 |
| S52 | 67 | ((encrypt\$4 or encod\$4) near5 (content AND (license or identification or information or title or key or right or program)) with (id or unique or name or ((serial or phone) adj number) or public or private) near5 (device or apparatus or termial or station or phone or handheld or portable or PC)) (encrypt\$4 near5 content with unique near5 device) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/24 15:17 |
| S53 | 625 | ((encrypt\$4 or encod\$4) near5 (content or data or license or identification or information or title or key or right or program or music or game or video) with (id or unique or name or ((serial or phone) adj number) or public or private) near5 (device or apparatus or termial or station or phone or handheld or portable or PC)) ((encrypt\$4 or encod\$4) near5 (content or data or license or identification or information or title or key or right or program or music or game or video) with (id or unique or name or ((serial or phone) adj number) or public or private) near5 (device or apparatus or termial or station or phone or handheld or portable or PC)).clm. (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/24 15:56 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S54 | 146 | ((encrypt\$4 or encod\$4) near5 (content or data or license or identification or information or title or key or right or program or music or game or video) with (id or unique or name or ((serial or phone) adj number) or public or private) near5 (device or apparatus or termial or station or phone or handheld or portable or PC)) ((encrypt\$4 or encod\$4) near5 (content or data or license or identification or information or title or key or right or program or music or game or video) with (id or unique or name or ((serial or phone) adj number) or public or private) near5 (device or apparatus or termial or station or phone or handheld or portable or PC)).clm. (authenticat\$4 with access\$4) (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/24 15:57 |
| S55 | 141 | S54 not S52 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/05/24 15:58 |
| S56 | 24 | (((encrypt\$4 encod\$4 cipher\$4) near5 (content data information license right title certificate identifier) with (id unique idenfiter serial MAC number) near8 (device apparatus termial station phone handheld portable PDA PC)).ab. AND (authenticat\$4 with access\$) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/08 19:53 |
| S57 | 266 | (((encrypt\$4 encod\$4 cipher\$4) with using near5 (device terminal mobile apparatus drive host) near2 (id unique idenfiter)) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/08 20:20 |
| S58 | 149 | (((encrypt\$4 encod\$4 cipher\$4) near4 (content key license) with using near5 (device terminal mobile apparatus drive host) near2 (id unique idenfiter)) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/08 20:21 |
| S59 | 122 | (((encrypt\$4 encod\$4 cipher\$4) near4 (identifier id usage right title key license) with using near5 (device terminal mobile apparatus drive host) near2 (id unique idenfiter)) AND (stor \$4 near3 encrypt\$4) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/08 21:42 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S60 | 53 | (((encrypt\$4 encod\$4 cipher\$4) near4 (identifier id usage right title key license) with using near5 (device terminal mobile apparatus drive host) near2 (id unique idenfiter)) AND (stor\$4 near3 encrypt\$4) AND ((encrypt\$4 encod\$4 cipher\$4) near4 (content data music movie) with using near5 (device terminal mobile apparatus drive host) near2 (id unique idenfiter)) AND (@ad<"20020329")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/08 21:44 |
| S61 | 141 | (((encrypt\$4 encod\$4 cipher\$4) near4 (identifier id usage right title key license) with (using bas\$3 "with") near5 (device terminal mobile apparatus drive host) near2 (id unique idenfiter)) AND (stor\$4 near3 encrypt\$4) AND (@ad<"20020329")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/10 10:31 |
| S62 | 84 | (((encrypt\$4 encod\$4 cipher\$4) near4 (identifier id usage right title key license) with (using bas\$3 "with") near5 (device terminal mobile apparatus drive host) near2 (id unique idenfiter)) AND (stor\$4 near3 encrypt\$4) AND((encrypt\$4 encod\$4 cipher\$4) near4 (content data movie music game program information packet) with (using bas\$3 "with") near5 (device terminal mobile apparatus drive host) near2 (id unique idenfiter)) AND (@ad<"20020329")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/10 10:32 |
| S63 | 83 | (((encrypt\$4 encod\$4 cipher\$4) near8 (using bas\$3 "with") near5 (device terminal mobile apparatus drive host) near2 (id unique idenfiter)).ab. AND (@ad<"20020329")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/10 10:48 |
| S64 | 64 | (((encrypt\$4 encod\$4 cipher\$4) near8 (using) near5 (device terminal mobile apparatus drive host phone PDA) near2 (id unique idenfiter)).ab. AND (@ad<"20020329")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/10 10:48 |
| S65 | 243 | (((encrypt\$4 encod\$4 cipher\$4) near4 (content data information game video audio movie message) near8 ((device terminal mobile apparatus drive host PDA phone client) near2 (id unique idenfiter name ((serial phone) near2 number)))) AND ((encrypt\$4 encod\$4 cipher\$4) near4 (lisence right password token key passcode PIN) near8 ((device terminal mobile apparatus drive host PDA phone client) near2 (id unique idenfiter name ((serial phone) near2 number)))) AND (@ad<"20020329")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/10 11:15 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S66 | 62 | (((encrypt\$4 encod\$4 cipher\$4) near4 (content data information game video audio movie message) near8 (using near4 ((device terminal mobile apparatus drive host PDA phone client) near2 (id unique identifiter name ((serial phone) near2 number))))) AND ((encrypt\$4 encod\$4 cipher\$4) near4 (lisence right password token key passcode PIN) near8 ((device terminal mobile apparatus drive host PDA phone client) near2 (id unique identifiter name ((serial phone) near2 number)))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/10 11:54 |
| S67 | 57 | (((encrypt\$4 encod\$4 cipher\$4) near4 (content data information game video audio movie message) near8 (using near4 ((device terminal mobile apparatus drive host PDA phone client) near2 (id unique identifiter name ((serial phone) near2 number))))) AND ((encrypt\$4 encod\$4 cipher\$4) near4 (lisence right password token key passcode PIN) near8 (using near4 ((device terminal mobile apparatus drive host PDA phone client) near2 (id unique identifiter name ((serial phone) near2 number)))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/10 11:54 |
| S68 | 170 | (((encrypt\$4 encod\$4 cipher\$4) near8 using near4 ((device terminal mobile apparatus drive host PDA phone client) near3 (id identif\$7 name ((serial phone) near2 number)))) AND (stor\$4 near4 (encrypted \$2ciphered encoded)) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/10 13:05 |
| S69 | 146 | S68 not S67 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/10 13:06 |
| S70 | 123 | (((encrypt\$4 encod\$4 cipher\$4) near5 (data content ringtone music message text game video music program image) near8 using near4 (((device phone mobile terminal apparatus) near2 (id identif\$7 name)) ((phone serial) near2 number))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/10 14:21 |
| S71 | 465 | (((encrypt\$4 encod\$4 cipher\$4) with (using near5 (((device phone mobile terminal apparatus host) near2 (id identif\$7 name)) ((phone serial) near2 number))))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/10 15:48 |

| | | | | | | |
|-----|----|---|---|-----|----|---------------------|
| S72 | 98 | (((encrypt\$4 encod\$4 cipher\$4) with (using near5 (((device phone mobile terminal apparatus host) near2 (id identifi\$7 name)) ((phone serial) near2 number))))).ab. AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/10 15:48 |
| S73 | 70 | S72 not S70 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/10 15:48 |
| S74 | 22 | (((encrypt\$4 encod\$4 cipher\$4) near5 (content data music game video audio image file document information) with (using near5 (((device phone mobile terminal apparatus host) near2 (id identifi\$7 name)) ((phone serial) near2 number))))) AND ((encrypt\$4 encod\$4 cipher\$4) near5 (license right usage condition PIN password passcode token ticket code) with (using near5 (((device phone mobile terminal apparatus host) near2 (id identifi\$7 name)) ((phone serial) near2 number))))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/10 15:53 |
| S75 | 25 | (((encrypt\$4 encod\$4 cipher\$4) near5 (content data music game video audio image file document information program) with (using near5 (((device phone mobile terminal apparatus host) near2 (id identifi\$7 name)) ((phone serial) near2 number))))) AND ((encrypt\$4 encod\$4 cipher\$4) near5 (license right usage condition PIN password passcode token ticket code certificate) with (using near5 (((device phone mobile terminal apparatus host) near2 (id identifi\$7 name)) ((phone serial) near2 number))))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/10 15:58 |
| S76 | 3 | S75 not S74 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/10 15:58 |
| S77 | 20 | (((encrypt\$4 encod\$4 cipher\$4) with (((identifier id) near4 (device apparatus mobile))) same((\$4phone near3 number) (serial near3 number near4 \$4phone))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/12 14:46 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S78 | 19 | ((encrypt\$4 encod\$4 cipher\$4) with ((identifier id) near4 (device apparatus mobile \$4phone))) AND (((\$4phone near3 number) (serial near3 number near4 \$4phone)) with (mobile cell\$4) same (key encrypt\$4)) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/12 14:55 |
| S79 | 118 | ((mobile cellular cell) near2 \$4phone) AND ((encrypt\$4 cipher\$4 encod\$4) near4 (content data) with (id identifier)) AND ((((\$4phone serial) near3 number) with (id identifier)) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/12 15:24 |
| S80 | 95 | (encrypt\$4 near6 (content audio movie video file document data) with (device apparatus host) near2 (ID identifier)) AND (((detachable portable removable) near3 (storage disk)) (memory near3 card)) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/30 13:31 |
| S81 | 63 | ((encrypt\$4 decrypt\$4 encod\$4 decod \$4) with (device apparatus host) near2 (ID identifier)) AND ((compar\$4 match\$4) with (decoded decrypted)) AND (((detachable portable removable) near3 (storage disk)) (memory near3 card)) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/30 14:41 |
| S84 | 1 | 10/509125 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/30 16:07 |
| S85 | 36 | ((encrypt\$4 decrypt\$4 encod\$4 decod \$4) near7 (content data license header permission file document (usage near3 right) (access near3 control\$4)) with (device apparatus host client) near2 (ID identifier)) AND ((compar\$4 match\$4) with (decoded decrypted)) AND (((detachable portable removable) near3 (storage disk)) (memory near3 card)) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/31 11:07 |
| S88 | 53 | ((encrypt\$4 decrypt\$4 encod\$4 decod \$4) near7 (content data license header permission file document (usage near3 right) (access near3 control\$4) policy code certificate signature) with (device apparatus host client) near2 (ID identifier)) AND ((compar\$4 match\$4) with (decoded decrypted)) AND (((detachable portable removable) near3 (storage disk)) (memory near3 card)) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/31 11:19 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S89 | 17 | S88 not S85 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/31 11:20 |
| S90 | 143 | ((encrypt\$4 decrypt\$4 encod\$4 decod\$4) near7 (content data license header permission file document (usage near3 right) (access near3 control\$4) policy code certificate signature) with (device apparatus host client) near2 (ID identifier (serial near2 number))) AND ((compar\$4 match\$4) with (decoded decrypted)) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/13 08:59 |
| S91 | 4 | ((encrypt\$4 decrypt\$4 encod\$4 decod\$4) near7 (content data license header permission file document (usage near3 right) (access near3 control\$4) policy code certificate signature) with (device apparatus host client) near2 (ID identifier (serial near2 number))) AND ((compar\$4 match\$4) with (decoded decrypted)) AND (content near5 distribut\$4).clm. AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/13 09:00 |
| S92 | 148 | ((encrypt\$4 encod\$4) near7 (content data file document movie video information audio program software package) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND ((encrypt\$4 encod\$4) near7 (license permission instruction right usage policy certificate signature PIN access\$4) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/15 08:25 |
| S93 | 423 | ((encrypt\$4 encod\$4) near7 (content data file document movie video information audio program software package) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND ((encrypt\$4 encod\$4) near7 (license permission instruction right usage policy certificate signature PIN access\$4 key) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/15 08:26 |

| | | | | | | |
|------|-----|--|---|----|----|---------------------|
| S94 | 163 | S93 AND ((decrypt\$4 decod\$4) near7 (content data file document movie video information audio program software package) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND ((decrypt\$4 decod\$4) near7 (license permission instruction right usage policy certificate signature PIN access\$4 key) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/15 08:27 |
| S96 | 30 | S92 AND ((decrypt\$4 decod\$4) near7 (content data file document movie video information audio program software package) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND ((decrypt\$4 decod\$4) near7 (license permission instruction right usage policy certificate signature PIN access\$4) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/15 08:28 |
| S97 | 148 | ((encrypt\$4 encod\$4) near7 (content data file document movie video information audio program software package) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND ((encrypt\$4 encod\$4) near7 (license permission instruction right usage policy certificate signature PIN access\$4) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/15 10:25 |
| S98 | 118 | S97 not S96 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/15 10:26 |
| S104 | 275 | ((encrypt\$4 encod\$4) near7 (license permission instruction right usage policy certificate signature PIN access\$4) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/15 15:23 |

| | | | | | | |
|------|----|---|---|----|----|---------------------|
| S105 | 46 | ((encrypt\$4 encod\$4) near7 (license permission instruction right usage policy certificate signature PIN access \$4) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND ((decrypt\$4 decod\$4) near7 (license permission instruction right usage policy certificate signature PIN access\$4) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/15 15:24 |
| S106 | 65 | ((encrypt\$4 encod\$4) near7 (license permission instruction right usage policy certificate signature PIN access \$4 authentication MAC) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur \$4) near2 number))) AND ((decrypt\$4 decod\$4) near7 (license permission instruction right usage policy certificate signature PIN access\$4 authentication MAC) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur \$4) near2 number))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 08:51 |
| S107 | 46 | ((encrypt\$4 encod\$4) near7 (license permission instruction right usage policy certificate signature PIN access \$4) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND ((decrypt\$4 decod\$4) near7 (license permission instruction right usage policy certificate signature PIN access\$4) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 08:52 |
| S108 | 19 | S106 not S107 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 08:52 |

| | | | | | | |
|------|-----|--|---|----|----|---------------------|
| S110 | 324 | ((encrypt\$4 encod\$4) near7 (license permission instruction right usage policy certificate signature PIN access \$4 ID identifier title) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur \$4) near2 number))) AND ((decrypt\$4 decod\$4) near7 (license permission instruction right usage policy certificate signature PIN access\$4 ID identifier title) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 09:11 |
| S112 | 13 | ((encrypt\$4 encod\$4) near7 (license permission instruction right usage policy certificate signature PIN access \$4 ID identifier title) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur \$4) near2 number))) AND ((decrypt\$4 decod\$4) near7 (license permission instruction right usage policy certificate signature PIN access\$4 ID identifier title) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND (content near6 distribut\$4).ab. AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 09:12 |
| S113 | 17 | ((encrypt\$4 encod\$4) near7 (license permission instruction right usage policy certificate signature PIN access \$4 ID identifier title) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur \$4) near2 number))) AND ((decrypt\$4 decod\$4) near7 (license permission instruction right usage policy certificate signature PIN access\$4 ID identifier title) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND (content near6 distribut\$4).clm. AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 09:23 |
| S114 | 11 | S113 not S112 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 09:23 |

| | | | | | | |
|------|-----|---|---|----|----|---------------------|
| S115 | 24 | ((encrypt\$4 encod\$4) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND ((decrypt\$4 decod\$4) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND (content near6 distribut\$4).clm. AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 14:30 |
| S116 | 18 | ((encrypt\$4 encod\$4) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND ((decrypt\$4 decod\$4) with (device apparatus host client) near4 (ID identifier ((serial phone manufactur\$4) near2 number))) AND (content near6 distribut\$4).ab. AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 14:30 |
| S117 | 301 | (((encrypt\$4 encod\$4) near4 (content data movie file document)) with ((device apparatus host computer) near3 (ID identifier name))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/06 07:28 |
| S118 | 735 | (((encrypt\$4 encod\$4 cipher\$4) near4 (content data music movie file document)) with ((identifier id unique) near3 (device terminal mobile apparatus host computer))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/06 07:39 |
| S119 | 609 | (((encrypt\$4 encod\$4) near4 (content data movie music file document)) with ((device apparatus host computer terminal) near3 (ID identifier name unique))) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/06 07:40 |
| S120 | 139 | (((encrypt\$4 encod\$4) near4 (content data movie music file document)) with ((device apparatus host computer terminal) near3 (ID identifier name unique))) AND (((encrypt\$4 encod\$4) near4 (content data movie music file document)) with ((device apparatus host computer terminal) near3 (ID identifier name unique))).clm. AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/06 07:41 |

| | | | | | | |
|------|----|--|---|----|----|---------------------|
| S121 | 43 | (((encrypt\$4 encod\$4) near4 (content data movie music file document)) with ((device apparatus host computer terminal) near3 (ID identifier name unique))) AND (((encrypt\$4 encod\$4) near4 (content data movie music file document)) with ((device apparatus host computer terminal) near3 (ID identifier name unique))).clm. AND (content near7 distribut\$4) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/06 07:41 |
| S122 | 24 | (((encrypt\$4 encod\$4) near4 (content data movie music file document)) with ((device apparatus host computer terminal) near2 (ID identifier name unique))) AND (((encrypt\$4 encod\$4) near4 (content data movie music file document)) with ((device apparatus host computer terminal) near2 (ID identifier name unique))).clm. AND (content near7 distribut\$4) AND (@ad<"20020329") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/06 08:18 |

EAST Search History (I nterference)

< This search history is empty >

11 / 6 / 2009 9:45:18 AM**C:\ Documents and Settings\ lpham7\ My Documents\ EAST\ Workspaces\ 10\ 10-509-125.wsp**